

FELT
2014年モデル規格表

2013/10/3

	F FRD, F2, F3, F4, F5					F24	F95 Jr.
Size	48	51	54	56	58	40	44
HA	71	72.5	73	73.5	74	72	71.5
SA	74.5	74	73.5	73.5	73.5	73.5	75.5
TT Horiz	510	530	545	560	580	447	483
TT C-C	492	513	532	547	568	430	470
HT Length	100	110	120	140	160	120	130
Seat Tube C-T	440	480	520	540	470	345	400
Seat Tube C-C	392	432	472	492	522	290	365
BB Drop	72	70	70	70	70	30	49
BB Rise	-	-	-	-	-	-	-
CS	403	403	405	405	407	360	380
Front Center	577	578	580	588	604	493	551
Wheelbase	969	971	974	983	1000	851	925
Standover	681	717	750	770	796	602	665
Fork Length	370	370	370	370	370	321	347
Rake	52	50	45	43	43	40	41
Lower HS Stack	1	1	1	1	1	12	1
Reach	370	381	389	397	412	314	358
Stack	500	514	526	548	569	448	489
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Clamp	27.3mm x 30.6mm double bolt	27.3mm x 30.6mm double bolt	27.3mm x 30.6mm double bolt	27.3mm x 30.6mm double bolt	27.3mm x 30.6mm double bolt	31.8mm	30.6 (30.7 for painted frame)
Front Derailleur Clamp	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on	31.8mm	34.9mm
BB-Type (BB30, BSA,...)	BB30	BB30	BB30	BB30	BB30	English threaded	English threaded
BB-Shell Width	68mm	68mm	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	Threadless 1.125"	1.125"Integrated

FELT
2014年モデル規格表

2013/10/3

	F75, F85, F95					
Size	48	51	54	56	58	61
HA	71	72.5	73	73.5	74	74
SA	74.5	74	73.5	73.5	73.5	73
TT Horiz	510	530	545	560	580	605
TT C-C	493	512	531	546	567	592
HT Length	100	120	130	150	170	210
Seat Tube C-T	440	470	520	540	570	610
Seat Tube C-C	391	422	472	492	522	562
BB Drop	72	70	70	70	70	70
BB Rise	-	-	-	-	-	-
CS	405	405	405	405	407	410
Front Center	577	579	580	588	604	622
Wheelbase	971	973	974	983	1000	1022
Standover	681	710	750	770	796	834
Fork Length	370	370	370	370	370	370
Rake	52	52	45	45	45	45
Lower HS Stack	1	1	1	1	1	1
Reach	370	378	386	393	408	415
Stack	500	523	536	557	578	616
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Clamp	30.7mm for painted 30.6mm frame O.D.	30.7mm for painted 30.6mm frame O.D.	30.7mm for painted 30.6mm frame O.D.	30.7mm for painted 30.6mm frame O.D.	30.7mm for painted 30.6mm frame O.D.	30.7mm for painted 30.6mm frame O.D.
Front Derailleur Clamp	34.9mm	34.9mm	34.9mm	34.9mm	34.9mm	34.9mm
BB-Type (BB30, BSA,...)	BB30	BB30	BB30	BB30	BB30	BB30
	English threaded (F95)	English threaded (F95)	English threaded (F95)	English threaded (F95)	English threaded (F95)	English threaded (F95)
BB-Shell Width	68mm	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	1.125"-1.5"	1.125"-1.5"	1.125"-1.5"	1.125"-1.5"	1.125"-1.5"	1.125"-1.5"
	1.125"Integrated (F95)	1.125"Integrated (F95)	1.125"Integrated (F95)	1.125"Integrated (F95)	1.125"Integrated (F95)	1.125"Integrated (F95)

	Z1, Z2 Di2, Z4, Z5				Z85, Z95			Z85, Z95		
Size	51	54	56	58	51	54	56	51	54	56
HA	72	72.5	72.5	72.5	72	72.5	72.5	72	72.5	72.5
SA	74.5	74	73.5	73	74.5	74	73.5	74.5	74	73.5
TT Horiz	525	545	560	575	525	545	560	525	545	560
TT C-C	507	524	538	551	507	526	540	507	526	540
HT Length	140	160	180	200	140	160	180	140	160	180
Seat Tube C-T	470	500	520	540	470	500	520	470	500	520
Seat Tube C-C	415	425	445	465	425	445	465	425	445	465
BB Drop	70	70	70	70	70	70	70	70	70	70
BB Rise	-	-	-	-	-	-	-	-	-	-
CS	417	417	417	417	417	417	417	417	417	417
Front Center	583	595	605	615	584	595	605	584	595	605
Wheelbase	990	1002	1012	1022	990	1002	1012	990	1002	1012
Standover	698	727	747	767	713	726	746	713	726	746
Fork Length	370	370	370	370	370	370	370	370	370	370
Rake	50	50	50	50	52	52	52	52	52	52
Lower HS Stack	1	1	1	1	1	1	1	1	1	1
Reach	373	384	388	392	372	382	386	372	382	386
Stack	541	561	580	600	540	561	580	540	561	580
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Clamp	30.6mm	30.6mm	30.6mm	30.6mm	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm
Front Derailleur Clamp	Braze-on	Braze-on	Braze-on	Braze-on	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm
BB-Type	BB30	BB30	BB30	BB30	BB30	BB30	BB30	English threaded	English threaded	English threaded
					English threaded (Z95)	English threaded (Z95)	English threaded (Z95)			
BB-Shell Width	68mm	68mm	68mm	68mm	68mm	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	1.125"-1.5" Semi-Integrated	1.125"-1.5" Semi-Integrated	1.125"-1.5" Semi-Integrated	1.125" Semi-Integrated	1.125" Semi-Integrated	1.125" Semi-Integrated

FELT
2014年モデル規格表

2013/10/3

Size	ZW5			ZW85, ZW95, ZW100		
	Petite	Small	Medium	Petite	Small	Medium
HA	70.25	71.25	72	70.25	71.5	72
SA	75.25	74.5	74.5	75.25	74.5	74.5
TT Horiz	495	512	525	495	514	525
TT C-C	479	494	507	479	496	507
HT Length	120	130	140	110	125	140
Seat Tube C-T	430	450	470	430	450	470
Seat Tube C-C	375	395	415	385	405	425
BB Drop	72	72	70	72	72	70
BB Rise	-	-	-	-	-	-
CS	410	410	417	410	410	417
Front Center	576	578	583	575	578	584
Wheelbase	974	977	990	974	977	990
Standover	-	-	-	675	694	713
Fork Length	370	370	370	370	370	370
Rake	52	52	50	52	52	52
Lower HS Stack	1	1	1	1	1	1
Reach	357	363	373	359	367	372
Stack	517	530	541	507	526	540
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Clamp	30.6	30.6	30.6	31.8mm	31.8mm	31.8mm
Front Derailleur Clamp	Braze-on	Braze-on	Braze-on	31.8mm	31.8mm	31.8mm
BB-Type	BB30	BB30	BB30	BB30	BB30	BB30
				Threaded (ZW95/100)	Threaded (ZW95/100)	Threaded (ZW95/100)
BB-Shell Width	68mm	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	1.125" Integrated	1.125" Integrated	1.125"-1.5" Integrated	1.125" Integrated	1.125" Integrated	1.125"-1.5" Integrated (Z85 Only)
						1.125" Integrated

FELT
2014年モデル規格表

2013/10/3

	AR FRD, AR2, AR4, AR5				AR 15			
Size	48	51	54	56	48	51	54	56
HA	71	72.5	73	73.5	71	72.5	73	73.5
SA	74.5	74	73.5	73.5	74.5	74	73.5	73.5
TT Horiz	510	530	545	560	510	530	545	560
TT C-C	-	-	-	-	-	-	-	-
HT Length	110	120	140	160	120	130	150	170
Seat Tube C-T	440	470	500	520	450	480	510	530
Seat Tube C-C	420	450	480	500	430	460	490	510
BB Drop	72	70	70	70	72	70	70	70
BB Rise	-	-	-	-	-	-	-	-
CS	408	408	410	410	408	409	410	410
Front Center	577	579	580	588	578	579	580	588
Wheelbase	974	977	980	988	975	978	980	988
Standover	-	-	-	-	-	-	-	-
Fork Length	370	370	370	370	370	370	370	370
Rake	52	50	45	43	52	52	43	43
Lower HS Stack	1	1	1	1	1	1	1	1
Reach	367	379	383	392	364	375	382	389
Stack	510	523	546	567	519	532	556	577
Seat Post Dia.	Aero	Aero	Aero	Aero	Aero	Aero	Aero	Aero
Seat Post Clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp
Front Derailleur Clamp	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on
BB-Type (BB30, BSA,...)	BB30	BB30	BB30	BB30	BB30	BB30	BB30	BB30
BB-Shell Width	68mm	68mm	68mm	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	1.125"-1.25" Integrated	1.125"-1.25" Integrated	1.125"-1.25" Integrated	1.125"-1.25" Integrated	1.125" Integrated	1.125" Integrated	1.125" Integrated	1.125" Integrated

FELT
2014年モデル規格表

2013/10/3

	650c: B16		700c: B16		
Size	48	50	52	54	56
HA	72	72.5	72.5	73	73
SA	78	77.7	77.6	75.9	76.3
TT Horiz	490	500	520	545	557
TT C-C	490	500	520	545	557
HT Length	115	130	100	110	125
Seat Tube C-T	480	500	520	540	560
Seat Tube C-C	406	412	455	479	513
BB Drop	45	45	70	70	70
BB Rise	-	-	-	-	-
CS	385	385	405	405	405
Front Center	562	568	589	596	612
Wheelbase	947	952	984	991	1007
Standover	703	720	743	764	779
Fork Length	340	340	365	365	365
Rake	35	35	40	40	40
Lower HS Stack	1	1	1	1	1
Reach	386	391	407	414	426
Stack	468	484	502	514	528
Seat Post Dia.	Felt Aero	Felt Aero	Felt Aero	Felt Aero	Felt Aero
Seat Post Clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp
Front Derailleur Clamp	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Integrated	Integrated	Integrated	Integrated	Integrated
Headset (Type)	1.125"Integrated	1.125"Integrated	1.125"Integrated	1.125"Integrated	1.125"Integrated

FELT
2014年モデル規格表

2013/10/3

	F4X, F5X, F65X, F75X				F24X	TK2	
Size	47	50	53	55	390	51	54
HA	71	71.5	72	72	70.5	74	75
SA	75	74.5	73.5	73.5	74.5	74	74
TT Horiz	510	525	540	560	465	515	540
TT C-C	495	510	525	543	-	504	532
HT Length	110	120	130	150	110	110	120
Seat Tube C-T	470	500	530	550	345	510	540
Seat Tube C-C	410	440	470	490	-	441	471
BB Drop	65	65	65	65	40	55	55
BB Rise	-	-	-	-	-	-	-
CS	430	430	430	430	380	395	395
Front Center	583	584	585	605	529	547	550
Wheelbase	1005	1005	1007	1027	905	935	938
Standover	726	751	779	796	580	-	-
Fork Length	393	393	393	393	360	365	365
Rake	50	45	45	45	40	43	30
Lower HS Stack	1	1	1	1	1	1	1
Reach	368	375	377	391	333	372	392
Stack	525	538	549	568	471	501	517
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Clamp	31.8mm carbon frame/30.6 alloy frame	31.8mm carbon frame/30.6 alloy frame	31.8mm carbon frame/30.6 alloy frame	31.8mm carbon frame/30.6 alloy frame	31.8mm	30.6mm	30.6mm
Front Derailleur Clamp	31.8mm carbon frame/34.9mm alloy frame	31.8mm carbon frame/34.9mm alloy frame	31.8mm carbon frame/34.9mm alloy frame	31.8mm carbon frame/34.9mm alloy frame	31.8mm	N/A	N/A
BB-Type (BB30, BSA,...)	BB30	BB30	BB30	BB30	Threaded	English threaded	English threaded
BB-Shell Width	68mm	68mm	68mm	68mm	68mm	68mm	68mm
O.L.D.	135mm	135mm	135mm	135mm	135mm	120mm	120mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	N/A	N/A
Headset (Type)	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	No.42 1.125"- 1.5"Integrated	1.125" Integrated	1.125" Integrated	1.125" Integrated

FELT
2014年モデル規格表

2013/10/3

	QX/QX EQUIPPED SUSPENSION					QX/QX EQUIPPED RIGID			
Size	44	44L	48	52	55	44	48	52	55
HA	70	70.5	70.5	70.5	70.5	70	70.5	71	71.5
SA	74	72.5	73	72.5	72.3	74.5	73	72.75	72.5
TT Horiz	540	555	560	575	585	541	568	578	589
TT C-C	-	-	-	-	-	-	-	-	-
HT Length	115	145	130	145	160	145	160	175	190
Seat Tube C-T	440	440	480	520	550	440	480	520	550
Seat Tube C-C	-	-	-	-	-	-	-	-	-
BB Drop	55	55	55	55	55	55	55	55	55
BB Rise	-	-	-	-	-	-	-	-	-
CS	445	445	445	445	445	445	445	445	445
Front Center	608	602	611	622	630	608	616	620	624
Wheelbase	1047	1041	1050	1061	1070	1047	1056	1059	1063
Standover	722	609	759	794	820	701	735	769	796
Fork Length	476	476	476	476	476	393	393	393	393
Rake	38	38	38	38	38	38	38	38	38
Lower HS Stack	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
Reach	366	355	369	375	378	384	392	395	339
Stack	601	631	617	631	646	551	567	583	600
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Clamp	34,9 mm x 11	34,9 mm x 11	34,9 mm x 11	34,9 mm x 11	34,9 mm x 11	34,9 mm x 11	34,9 mm x 11	34,9 mm x 11	34,9 mm x 11
Front Derailleur Clamp	34.9 mm x 63-66 degree	34.9 mm x 63-66 degree	34.9 mm x 63-66 degree	34.9 mm x 63-66 degree	34.9 mm x 63-66 degree	34.9 mm x 63-66 degree	34.9 mm x 63-66 degree	34.9 mm x 63-66 degree	34.9 mm x 63-66 degree
BB-Type (BB30, BSA,...)	BSA	BSA	BSA	BSA	BSA	BSA	BSA	BSA	BSA
BB-Shell Width	73 mm	73 mm	73 mm	73 mm	73 mm	73 mm	73 mm	73 mm	73 mm
O.L.D.	135 mm	135 mm	135 mm	135 mm	135 mm	135 mm	135 mm	135 mm	135 mm
RD-hanger Type	QX SPECIFIC	QX SPECIFIC	QX SPECIFIC	QX SPECIFIC	QX SPECIFIC	QX SPECIFIC	QX SPECIFIC	QX SPECIFIC	QX SPECIFIC
Headset (Type)	No.10 1.125" Semi-Integrated	No.10 1.125" Semi-Integrated	No.10 1.125" Semi-Integrated	No.10 1.125" Semi-Integrated	No.10 1.125" Semi-Integrated	No.10 1.125" Semi-Integrated	No.10 1.125" Semi-Integrated	No.10 1.125" Semi-Integrated	No.10 1.125" Semi-Integrated